



Large Synoptic Survey Telescope (LSST) Change Control and Configuration Management Plan

Chuck F. Claver, Victor Krabbendam and Donald Sweeney


LPM-19




LARGE SYNOPTIC SURVEY TELESCOPE

LSST Change Control and Configuration Management Plan
6/19/2011

LPM-19



LARGE SYNOPTIC SURVEY TELESCOPE



— LA

LSST Change Control and Configuration Management Plan
6/19/2011

LPM-19

Latest Revision June 19, 2011

1. Change Record

	Version	Date	Description	Owner name
1		5/4/2009	Initial version	Chuck Claver and Ruth Kneale
2		6/19/2011	General updates	Victor Krabbendam

Table of Contents

1. The LSST Change Control and Configuration Management Plan

Purpose and Scope

This Change Control and Configuration Management Plan (CCCCMP) describes the responsibilities and processes necessary for configuration management and change control over the Large Synoptic Survey Telescope (LSST) Project. The CCCCCMP described here is

applicable to all work performed as part of the LSST project, which includes the design and development, construction, integration, test, operations, and servicing of the Observatory and its three constituent systems: the Telescope and Site (includes the observatory control system), Camera, and Data Management systems. This CCCMP provides guidance for all project personnel regarding Configuration Management (CM) activities in support of the LSST project by defining the organization providing configuration management, defining what a configuration controlled item (CI) is, defining the process for change control, and defining the plan for configuration status and verification. The scope of this CCCMP encompasses the entire lifecycle of the LSST project.

This document supersedes Document-478, “Change Control and Configuration Management Process”

2. Applicable Documents

The following documents are applicable to the development or implementation of this CCCMP:

- 1) LPM-17, “LSST Science Requirements Document”
- 2) LSE-17, “LSST System Engineering Management Plan”
- 3) LPM-54, “LSST Project Execution Plan”
- 4) LPM-51, “LSST Document Management Plan”
- 5) Document-478, “Change Control and Configuration Management Process”, Policies and Procedures document dated November 2005

3. Acronyms and Definitions

Baseline: An arbitrary point at which a project design is considered to be “frozen” and after which all changes must be tracked and approved.

Change Classification: All proposed changes to LSST Project documentation submitted for consideration are classified as LSST Board, Project, System, and Subsystem/Group level changes. Configuration changes may affect hardware, software, or verification requirements and the documents, drawings and procedures which define them.

Change Control and Configuration Management Plan (CCCMP): A collection of formal documented procedures used to apply technical and administrative direction and monitoring processes to the Project.

Configuration Control Board (CCB): A board composed of technical and management representatives who recommend approval or disapproval of proposed changes or deviations and waivers to a CI’s current approved configuration documentation. This board is also referred to at the “Change Control Board.”

Configuration Item (CI): An aggregation of hardware or software that satisfies an end use function and is designated for separate CM; a document describing LSST requirements, specifications and/or characteristics.

Configuration Database: A LSST Project-controlled database that identifies all CI's.

Configuration Management (CM): The systematic control and evaluation of all changes to documentation that has reached a baseline point.

CR/N: Change Request and Notice is the document that proposes a change and is updated with the outcome of the change for notification purposes.

LSST: Large Synoptic Survey Telescope

LSSTC: Large Synoptic Survey Telescope Corporation

Project Controls Manager (PCM): Responsible for CCB administration and implementing approved changes to the project cost and schedule baselines.

Project Manager (PM): The individual assigned to achieve the project objectives.

Project Baseline: Defines the completed design of the LSST. CI's that define this baseline include manufacturing drawings, procedures, and specifications that will be used to build hardware and software components. This baseline is derived from the Allocated Baseline, and is also referred to as the "Build-to" baseline, since CI's at this maturity level are used in fabrication, assembly, integration, and testing.

Requirements Baseline: Defines the LSST system performance and functional characteristics and the verification required to demonstrate the achievement of those characteristics. This includes the science requirements, system-level performance and operational requirements, and the subsystem top level requirements.

Systems Engineering Manager (SE): The individual responsible for the execution, technical oversight and coordination of configuration control activities.

To Be Determined (TBD): The existence of designated item is yet to be deemed necessary

To Be Resolved (TBR): A value which is understood to be necessary but needs negotiation or further definition

2. The LSST Change Control and Configuration Management Plan

1. Overview

This CCCMP describes the CM responsibilities and processes that support the design and implementation of the LSST. The purpose of this CCCMP is to identify the organization providing configuration control, define what a configuration-controlled item is, describe the change control process, and identify the plan for configuration status accounting and verification.

CM is the process through which the LSST Project documents the functional and physical characteristics of the Observatory, controls changes to those characteristics, and provides information on the state of change action. The CM process involves all levels of management responsibility, and consists of four ongoing stages: Configuration Identification, Configuration Change Control, Configuration Status Accounting, and Configuration Verification.

This CCCMP is designed to ensure that:

- Baselines are defined and documented;
- Documentation is identified, released, and controlled;
- The Change Control Board is defined, established and functions to CCCMP guidelines;
- Types and metadata structures for documentation are identified;
- Storage procedures for documentation are defined;
- Changes to the baseline are reviewed, implemented, tracked and documented;
- Distribution and archiving processes are defined.

Responsibility for controlling the configuration of the LSST Observatory involves all *Levels of Management* in the project. *Configuration Identification* is the process by which the LSST Observatory is defined through drawings and documents that specify the system components in terms of functional and physical characteristics, as well as how they will be manufactured and tested. The documents describing LSST characteristics are defined as Configuration Items (CI's). These are listed and tracked in a Configuration Database, which is also used to assess the impact of proposed changes to CI's. The *Change Control* process is the process by which proposed changes are reviewed and approved. It ensures that the technical, cost, schedule, and risk impacts of each change are considered before approval is granted. *Configuration Status Accounting* is the means by which configuration information is tracked and relayed to key personnel in order to support management decisions and ensure that all work is performed according to the current design. The *Configuration Verification* process ensures that the current hardware and software configurations match the intended design by verifying the implementation of each approved change through periodic configuration audits.

2. Configuration Management Responsibilities and Processes

1. Responsibilities and Level of Management

CM is the responsibility of the LSST Project Office and must be supported by all LSST team members. The Project Manager (PM) has overall responsibility for CM and for ensuring that all project CI's are identified and controlled. The LSST System Engineer (SE) is responsible for the execution, technical oversight and coordination of configuration control activities. The PM is responsible for the Change Control Board (CCB) administration and implementing approved changes to the project cost and schedule baselines. The PM is the Chairman of the CCB. The LSST Document Specialist is responsible for configuration status accounting and works with the SE and PM on configuration verification.

Responsibility for the management of configuration items is delegated to the level of management that is consistent with the scope of the item. For the LSST project, there are five levels of change control authority that correspond to five levels of scope. These levels are discussed below, and defined explicitly in the Project Execution Plan. Configuration managers for each of these levels are responsible for flowing down requirements and processes defined in this document to their level of management and below, as well as implementing configuration changes from above to all areas within their scope of responsibility.

LSST Board configuration items are managed through the Project Office but require approval by the LSST Board of Directors. These are items that define the highest level of project characteristics, cost and schedule performance. Examples include the Science Requirements Document.

Project Level configuration items are managed through the Project Office and approval by the Project Manager and Director. The Change Control Board reviews and advises the Project Manager on changes to items at this level. These include the technical and operational requirements of the LSST system, project planning and policy documents (e.g. this Configuration Management Plan), and overall system operational and functional requirements.

System Level configuration items are managed and approved through the Project Office by the System Scientist and Systems Engineer. These are items that define Observatory-level characteristics contained in the Requirements Baseline or impact more than one of the LSST subsystems. Examples include Interface Control Documents between LSST subsystems, LSST subsystem requirements, and system level functional and operational requirements.

Subsystem/Group configuration items are managed entirely by the managers for one of the 6 top level WBS items namely 1) Project Management Office, 2) Data Management, 3) Camera, 4) Telescope & Site, 5) Education and Public Outreach, and 6) Commissioning. By definition, these items have a scope that falls completely within the purview of one of the six top-level WBS structures. Examples include Camera Subsystem Requirements Specification, Facility site drawings, and data-flow test procedures.

Beyond the Project, System, and Subsystem Managers, other key technical and managerial personnel are involved in controlling the configuration of the LSST and include the Project Systems Engineer and the systems engineering representative from each LSST subsystem group.

2. Configuration Identification

Configuration identification is the ongoing process of identifying and documenting the LSST's functional and performance characteristics that define the technical baseline. These characteristics include functional and performance requirements, interface requirements, standards, drawings, and verification requirements.

2.1. Baselines

Configuration identification is developed and maintained in a series of PMO-approved baseline configurations as follows:

The Requirements Baseline is the initially approved set of documents that describe the high level LSST system functional requirements and specifications. The Requirements Baseline is managed by the SE through the SysML Requirements Model and includes formal definition of the LSST system configuration, requirements flow down, and traceability.

The Design Baseline is the formal definition of the LSST system design. This baseline contains manufacturing drawings, procedures, and specifications that will be used to build the LSST system. The Design Baseline will evolve throughout the design and development process and is managed with this CPM. The final baseline design is established upon completion of pre-production audit of the design documentation done in conjunction with the Final Design Review (FDR), also known as the Critical Design Review (CDR).

2.2. Configuration Items

In order to manage the configuration of the LSST baselines, the LSST system is divided into manageable units, called Configuration Items (CI's). CI's are selected through a top-down system decomposition process that divides the total system into a hierarchical set of logically related documents that describe the system. These documents separately define the performance parameters and physical characteristics of LSST systems, subsystems, and components such that they can be separately designed, fabricated, and tested. CI's may include, but are not limited to, specifications, drawings, interface control documents (ICD's), software description documents, and procedures.

CI's covering system and subsystem requirements along with system ICDs are derived from the contents of the SysML Requirements Model where the point of control is the model itself.

A Configuration Database is maintained by the LSST System Engineer to track all content that defines the LSST baselines.

3. LSST Requirements Baseline Control

LSST is using model based systems engineering methodology for developing the overall system architecture coded with the Systems Modeling Language (SysML). This process is fully defined

in LSE-17. SysML promotes the recursive development of, and the relationships between, requirements, logical & physical definitions, and overall behavior (activities and sequences) at successively deeper levels of abstraction and detail. As the modeling process develops more detailed requirements and specifications, it tracks traceability and allows specification of all system interfaces, physical and information flows, and clarification of the logic and control flows governing system behavior. The resulting integrated model database is used to generate all Requirements Baseline documentation below the SRD. The content in the model serves as the point of control for these CIs though the tools generate the documents that are reviewed for approval.

4. CI Documentation Archiving

All CI's are represented by documents controlled by the LSST project. All CI's must be identified by an LSST document number to ensure that they are tracked and maintained through the life of the project. CI's will be managed with the centralized document management system for LSST - LSST DocuShare Archive. The LSST Document Management Plan, LPM-51, provides the general approach to DocuShare use for LSST. CI documents and any changes will be controlled according to plan detailed below from within the LSST DocuShare archive.

All CI's will be available to project personnel through read only access via the LSST DocuShare Archive

4.1. Documentation Standards

Creation of project documentation will follow these established application standards:

- **Word Processing:** TeX, LaTeX, Microsoft Word, Apple Pages, or Rich Text Format.
- **Configuration item Document:** PDF
- **Spreadsheets:** Microsoft Excel, Apple Numbers.
- **Presentations:** Microsoft PowerPoint, Apple Keynote.
- **Layouts and detailed engineering drawings:** PDF
- **Optical drawings:** PDF
- **Software drawings:** PDF
- **Electronics drawings:** ODF
- **Graphics:** TIFF, JPEG or PNG formats.

Portable Document Format (PDF) is acceptable for historical scanned documents where the original electronic file is unavailable.

4.2. Electronic Documentation Locations

Electronic files will be managed through the LSST DocuShare electronic document archiving and management system. They will be sorted based on the Work Breakdown Structure (WBS) definition. Each of the 6 top level WBS items and Change Notices will have its own DocuShare Object Type. for controlled documents.

5. Document Organization

All documents (defined as any file in the LSST DocuShare electronic archive system regardless of type, though not including engineering CAD files) will be archived in the general LSST DocuShare system, following an established integrated organizational structure and workflow process. The organizational structure helps not only to locate the file in the DocuShare structure, but also provides metadata information for findability and additional information about the focus of the file. The integrated workflow process is that flow of information that helps process files properly, both into the appropriate DocuShare directory but also for purposes of review, approval, revision, and control.

Engineering models and drawings are controlled at the subsystem level in formal model vaults with full version and historical archiving. Approved drawings will be stored in DocuShare as PDF files to reflect the current state of the approved Design Baseline.

5.1. General Workflow

The overall LSST Configuration Management Workflow Process is illustrated in the right half of Figure 1. The workflow is structured in two primary document classes, controlled and uncontrolled. All controlled documents are subject to review, where CI's are a special class of controlled documents requiring the most formal level of review. The content of the document classes are:

<i>Uncontrolled</i>	<i>Controlled</i>	
<u>Support Documents</u>	<u>Formal Documents</u>	<u>Configuration Items</u>
<p>These include meeting materials, calendars, publications, personnel directories, etc.</p>	<p>These are documents that require some oversight but do not define or affect the baseline design of the system.</p>	<p>These are documents that define or affect the design baselines of the system.</p>
<ul style="list-style-type: none"> • Images and photos of events, meeting attendees, etc. • Presentations • Reference: This category includes all published articles or references. 	<ul style="list-style-type: none"> • Action Items • Budgets • Schedules • Reports • Reviews: this category includes all documents to organize a review, that are generated for a review or are generated by the review • Technical Note 	<ul style="list-style-type: none"> • Change Request • Change Notice • Drawings • Error Budgets • Interface Control Document • Management • Plans • Policies • Procedure • Requirements /Specifications

Adding a document to the LSST DocuShare archive is governed by whether it is controlled or uncontrolled. All documents in DocuShare have a unique “handle,” a prefix designation and sequential number. See LPM-51 for details.

Documents will be located in the organizational structure according to Work Breakdown Structure (WBS) based categories. For controlled documents the primary categories are based on the top level of the WBS. These will be the object types in the DocuShare system (as compared to a generic Document or a Collection):



Figure : LSST Configuration Management Workflow Process

- LPM - Project Management
- LSE - Project Systems Engineering
- LDM - Data Management
- LCA - Camera System
- LTS - Telescope & Site
- LPO - Education and Public Outreach
- LCR - Change Request

All documents (controlled or not) are required to have the following basic defined information (aka “metadata”):

- Document title
- Author
- Document Type (see 5.4.2 below)
- Document Category (see 5.4.3 below)
- Primary WBS entry
- Secondary WBS entry, if one exists

Other document meta data will be identified if needed during the duration of the project.

5.2. Document Types

All controlled documents will be identified as one of the following types:

- Budget
- Drawing
- Interface Control Document
- Plan
- Policy
- Procedure
- Requirements/Specifications
- Review Materials
- Report
- Schedule
- Technical Note

5.3. Document Categories

All controlled documents will also be identified by a category based on the second and third levels of the WBS specific to each DocuShare object type defined above (see 5.4.1). These are currently defined as follows:

Project Management (LPM)

- Management Office
- Controls
- Science
- Safety & Environmental Assurance

Systems Engineering (LSE)

- Management
- Requirements & Traceability
- Interface Control Document
- Budgets and Allocations
- Design and Performance
- Commissioning
- Operations

Data Management (LDM):

- Management
- Systems Engineering
- Safety and Environmental Assurance
- Applications
- Middleware
- Infrastructure
- Auxiliary & Support Items
- Integration and Testing

Camera (LCA):

- Management
- Systems Engineering
- Safety and Environmental Assurance
- Calibration
- Utilities
- Body and Mechanisms
- Sensors and Rafts
- Optical Components
- Camera Control System
- Cryostat
- Electronics
- Wavefront Sensors
- Guide Sensors
- Integration and Testing

Telescope and Site (LTS):

- Management
- Systems Engineering
- Safety and Environmental Assurance
- Facilities and Infrastructure
- Dome
- Mount
- Primary-Tertiary Mirror
- Secondary Mirror
- Wavefront Sensing & Alignment
- Calibration System
- Software and Control
- Observatory subsystems
- Equipment and Support subsystems
- Integration and Testing

Education and Public Outreach (LPO)

- Management
- Ongoing Activities
- Visualization
- Formal Education
- Citizen Science
- Project Astro Physics

Change Control (LCC)

- Change Request
- Change Notice

Once this information is defined, along with a document title and author, a series of actions will occur:

- Support documents: the document will be filed automatically into the appropriate DocuShare folder. No formal review or approval process will be required, aside from internal reviews prior to publication or presentations.
- Formal documents: the document will be filed automatically into the appropriate DocuShare folder. Revisions are done at the author's discretion, with appropriate internal review, but no formal review or approval process will be required.
- Configuration documents: the document will be filed automatically into the appropriate DocuShare folder. Upon completion, these documents will enter the change control loop.

3. Document Approval & Change Control Process

Configuration documents enter a more protracted process than all other documents, as they directly impact the design baselines of the observatory. The *Approval & Change Control* process is the process by which configuration documents enter into change control and proposed changes to configuration documents are reviewed and approved. It ensures that the technical, cost, schedule, and risk impacts of each change are considered before approval is granted.

1. Initial Release

Configuration documents are placed under configuration control upon their initial release. Upon completion, the document is submitted for approval to the appropriate level (based on LSST WBS, Document Type and Category as described above) in the work flow (see Figure 1). If denied, the document is returned to the author for more work. If approved and deemed necessary, it is then submitted to the Systems Engineer. If the document is approved at that point, the Systems Engineer evaluates whether further review by the LSST Board, Project Manager (PM), and/or Project Scientist (PS) is required; if not, the document passes into the Approved state. In the event that a document needs review by the LSST Board, the President of the LSST Corporation will act as the conduit to the LSST Board.

If further approval is required by either the PM or the PS, a similar process is followed. Either the PM or the PS has the authority to move a document to the Approved state or determine that it requires final approval by the LSST Board.

The revision process is discussed in Section 6.2 below.

2. Revisions

Updates to approved documents begin with the submission of a Change Request (CR) form. All proposed changes are designated as Class-1, Class-2, or Class-3 based on the impact on the overall system. These change classes are defined as follows:

Class-1: A proposed change that impacts any one of the following as detailed in the Project Execution Plan (PEP, see LPM-54):

- the ability of the project to meet a critical schedule milestone;
- the cost/schedule of a controlled item beyond limits defined in the PEP.

Class-1 changes will require, at a minimum, review and authorization from the PMO via the LSST Change Control Board (CCB). Most Class-1 CRs will also require the authorization by the LSST Board of Directors.

Class-2: A proposed change that impacts any one of the following:

- the ability of one of the LSST Subsystems to meet its function and design requirements;
- the interface between two or more LSST subsystems;
- the cost and/or schedule of a controlled item as defined in the PEP.

Class-2 changes are reviewed and authorized by the CCB.

Class-3: A proposed change that only impacts one LSST subsystem and does not have any impact on meeting any system or LSST subsystem level functional or design requirements. These changes include correcting clerical errors and adding clarification to documents. Class-3 changes are managed and authorized by the LSST Subsystem/Group managers and systems engineers.

Setting CR class determines the approval level, establishes the approvers required for the document, and allows the CCB to distribute the CR for formal review and approval. The review, revision, and approval process is managed by the CCB until the CR has been approved by all signatories. The work flow for CRs is show graphically in Figure 2.



Figure : LSST Change Control Workflow Process

Once a CR is approved the actual document is updated in line with the changes put forth in the CR, and the CR is updated with the detailed changes made so as to serve as the formal change notice. With the documents changed and the CR/N complete they are then submitted for formal approval. This re-enters the review process at the appropriate level as determined from the original document. From that point onwards the same configuration control process outlined above is followed.

The CR/N is used to document the reason for the release/revision, describe impacts (if any) to the project budget and/or schedule, and to capture the approvals of all reviewers for the

document. This is used in the process of evaluating the merits and impacts of a proposed change, and provides a lasting record of the change, approvals, and rationale. In particular, change requests/notices must capture four types of information regarding any change.

- First, the CR/N delineates which document(s) are impacted by the change.
- Second, the CR/N describes the changes. For most changes, this should include a summarized list of what the changes to the document are, including “before/after” or “was/is” lists of the changes.
- Third, the CR/N discusses the reason for the change. In particular, why is the change needed and what are the benefits regarding savings in cost, schedule, or reduced risk/increased margins? This provides justification for why the change should be approved, and is used by the approvers or CCB to evaluate the benefit of the change.
- Fourth, the CR/N describes the impacts of the change. This includes an estimate of the cost, schedule, and technical impact of the change on the configuration of the LSST system. If the change impacts hardware, then a complete list of serial numbers and a re-work plan needs to be included, as well.

Upon submission, a new collection is defined in the Systems Engineering Change Control section of DocuShare for this CR/N and all related documentation

3. Change Control Board Operations

If the author, Subsystem Manager, and SE determine that the proposed change requires CCB approval, then the SE will request that the Project Manager convene a CCB meeting. The CCB is primarily responsible for reviewing all Class-1 and Class-2 CR's based on the impact on system-wide costs, schedule, and technical performance. The CCB may also be called on to evaluate, approve, or reject externally-initiated change requests and requests for deviation or waiver. These may originate with external review boards, subcontractors, or the Board of Directors. Also, the CCB is required to review and authorize all proposed Class-1 changes, and passes them on to the Board of Directors for final authorization as needed.

Typically, more detailed rationale for the change is required to allow for a thorough review by the CCB. Thus, the CR may need further detail, or it may refer to separate documents that provide supporting analyses of the proposed change. Note that any supporting documents should be released as part of the revision process, since they document changes to configuration controlled documents and also need to be configuration controlled themselves.

The CCB evaluates the CR/N, revised document(s) and any supporting material, and recommends that the changes be approved or rejected. The PM then approves or rejects the change once concurrence is obtained from the CCB members. Level 1 changes are then sent to the LSST Board of Directors for final review and approval. Once baseline configuration items are established, the CCB manages requests for changes to system-level designs and interfaces, as well as proposed draw-downs on cost, schedule and technical reserves.

The SE and PM coordinate all activities pertaining to a proposed change to ensure that the material is complete for making a decision. Changes approved by the CCB will result in modifications to the segment and/or subsystem technical, cost and/or schedule baseline, drawing against contingency available in the total LSST project baseline. Cost and schedule

changes will be implemented by the PM, with all subsequent performance measured against the new subsystem baseline. All authorized changes are reported in an accompanying CR/N.

The initiator of the CR supports the CCB by assessing the change request for cost, schedule, and technical performance, scientific objectives, and risk impact. The initiator defends the changes during CCB evaluation. Subcontractors may submit out-of-scope changes for approval by the CCB. The Subsystem Manager responsible for the subcontractor reviews the change request and represents the subcontractor at the CCB.

3.1. CCB Membership and Responsibilities

The CCB consists of the following members:

- Project Director
- Project Manager serves as the CCB chair and exercises control of engineering changes and project cost and schedule. The Project manager is responsible for evaluating impacts to cost and schedule.
- Deputy Project Manager serves as alternate CCB chair and assists in evaluating cost and schedule impacts.
- System Scientist is responsible for evaluation of impact of the proposed change on the overall scientific performance of the system.
- Systems Engineer is responsible for assuring the technical completeness of all change notice evaluations. SE also assures the designation of the disciplines required to perform a complete evaluation of all CR/N's submitted to the CCB. This responsibility includes interfacing with all team members.
- LSST Subsystem Managers exercise control of engineering changes to their subsystems and control subsystem configurations.
- LSST Subsystem Scientists assist the System Scientist in evaluating the scientific impact of proposed CRs.